
Table of Contents

BIOTECHNOLOGY

| | |
|---|----|
| <i>Fusarium</i> Virulence and Plant Resistance Mechanisms: a Project within the Austrian Genome Programme GEN-AU G. Adam and J. Glössl..... | 1 |
| QTL Analysis of <i>Fusarium</i> Head Blight in Barley Using the Chinese Line Zhedar 2 H.A. Agrama, L.S. Dahleen, R.D. Horsley, B.J. Steffenson, P.B. Schwarz, A. Mesfin, and J.D. Franckowiak..... | 2 |
| Isolation and Characterization of <i>Tri16</i> from <i>Fusarium sporotrichioides</i> N.J. Alexander, S.P. McCormick, T.M. Larson, and J. E. Jurgenson..... | 3 |
| A Systematic Approach for Identifying Antifungal Proteins with Enhanced Resistance to Scab Ajith Anand, Harold N. Trick, Bikram S. Gill, and S. Muthukrishnan..... | 4 |
| Verification of Molecular Markers Linked to <i>Fusarium</i> Head Blight Resistance QTLs in Wheat N. Angerer, D. Lengauer, B. Steiner, and H. Buerstmayr..... | 9 |
| Wheat Transformation for Enhanced <i>Fusarium</i> Head Blight Tolerance P. Stephen Baenziger, A. Mitra, M. Dickman, T. Clemente, S. Sato, S. Mitra, J. Schimelfenig, and J. Watkins..... | 10 |
| Molecular Characterization of Scab Resistance QTL in Wheat G-H. Bai, A. Bernardo, P-G. Guo, K. Xiao, M. Das, X-Y. Xu, and S. R. Gaddam..... | 14 |
| Genetic Diversity of New <i>Fusarium</i> Head Blight Resistant Barley Sources K.M. Belina, W.J. Wingbermuehle, and K.P. Smith..... | 16 |
| Mapping <i>Fusarium</i> Head Blight Resistance QTL in the Chinese Wheat Line Fujian 5114 D.E. Bowen, S. Liu, R. Dill-Macky, C.K. Evans, and J.A. Anderson..... | 21 |
| Molecular Mapping of QTLs for <i>Fusarium</i> Head Blight Resistance in Spring Wheat H. Buerstmayr, B. Steiner, L. Hartl, M. Griesser, N. Angerer D. Lengauer, and M. Lemmens..... | 22 |
| QTL Mapping and SSR Genotyping of <i>Fusarium</i> Head Blight Resistance in Virginia Tech Wheat Breeding Program J. Chen, C. A. Griffey, M. A. Saghai Maroof, W. Zhao, J. Wilson, and D. Nabati..... | 26 |
| Insight in the Differentially Expressed Genes in Response to <i>Fusarium</i> Mycotoxins in FHB Resistance Wheat Nobeokabouzu-Komug I. Elouafi and T. Ban..... | 27 |

| | |
|--|----|
| Control of Scab with Puroindoline-Containing Transgenic Wheat S.A. Gerhardt, C. Balconi, and J.E. Sherwood | 28 |
| Genetic Analysis of Type II Fusarium Head Blight (FHB) Resistance in the Hexaploid Wheat Cultivar ‘Wangshubai’ Jose L. Gonzalez-Hernandez, A. del Blanco, B. Berzonsky, and S.F. Kianian..... | 29 |
| Identification of Scab Resistance Gene Expression in Wheat Following Inoculation with <i>Fusarium</i> L. Kong, J.M. Anderson, and H.W. Ohm | 30 |
| Mapping Genes Conferring Fusarium Head Blight Resistance in C93-3230-24 K.E. Lamb, M.J. Green, R.D. Horsley, and Zhang Bingxing | 31 |
| Targeted Saturation Mapping of <i>Qfhs.ndsu-3BS</i> Using Wheat ESTs and Synteny with the Rice Genome S. Liu and J. A. Anderson | 32 |
| Identification of QTL Associated with Scab Resistance in Ernie Shuyu Liu, Theresa Musket, Anne L. McKendry, and Georgia L. Davis | 33 |
| Over-Expression of Anti-fungal Protein Genes Increases Resistance of Transgenic Wheat to Fusarium Head Blight C.A. Mackintosh, S.J. Heinen, L.A. Smith, M.N. Wyckoff, R.J. Zeyen, G.D. Baldrige, and G.J. Muehlbauer | 34 |
| Effect of Chevron Alleles At Two Fusarium Head Blight Resistance QTL Determined Using Near-Isogenic Lines L. M. Nduulu, A. Mesfin, G.J. Muehlbauer, and K.P. Smith | 35 |
| Saturation Genetic and Physical Mapping of Chromosome 3 Fusarium Head Blight QTL Region Deric Schmierer, Kara Johnson, Thomas Drader, and Andris Kleinhofs | 39 |
| Microsatellite Genetic Map in Wheat J.R. Shi, Q. J. Song, S-Singh, R.W. Ward, P.B. Cregan, and B.S. Gill | 40 |
| Strategies for Combating <i>Fusarium</i> in Barley Through Gene Expression Targeting, Metabolic Profiling and Signaling Analysis R.W. Skadsen, T. Abebe, M.L. Federico, J. Fu, C. Henson, and H.F. Kaeppler | 41 |
| Transgene Expression in Spring Wheat (<i>Triticum aestivum</i> L.) Transformed with Candidate Anti-<i>Fusarium</i> Genes M. Somleva, P. Okubara, and A. Blechl | 42 |
| Molecular Mapping of Resistance to Fusarium Head Blight in the Spring Wheat Cultivar Frontana B. Steiner, M. Griesser, M. Lemmens, and H. Buerstmayr | 46 |
| Examination of Molecular Variability of <i>Fusarium culmorum</i> Isolates B. Tóth, Á. Mesterházy, J. Téren, and J. Varga | 47 |

| | |
|---|-----------|
| A Non-Coding Wheat RNA May Play an Important Role in Wheat Resistance to Fusarium Head Blight D.H. Xing, Y. Yen, and Y. Jin | 49 |
| A Putative Acyl-CoA-Binding-Protein of <i>Fusarium graminearum</i> May Play an Important Role in the FHB Pathogenesis in Wheat D.H. Xing, Y. Yen, and Y. Jin | 50 |
| Identification of Chromosome Regions Associated with Fusarium Head Blight Resistance in Bread Wheat Cultivar Sumai 3 with its Susceptible NILs by Using DNA Markers D.H. Xu, M. Nohda, H.G. Chen, and T. Ban..... | 51 |
| Transposon-mediated Generation of Marker-free Barley Plants Expressing Putative Antifungal Proteins X-H. Yu, P. Bregitzer, M-J. Cho, M.L. Chung, and P.G. Lemaux | 52 |

CHEMICAL AND BIOLOGICAL CONTROL

| | |
|--|-----------|
| Effect of Bacterial Growth Medium Composition on Antifungal Activity of <i>Bacillus sp.</i> Strains Used in Biological Control of Fusarium Head Blight Nichole Baye, Bruce H. Bleakley, Martin A. Draper, and Kay R. Ruden | 54 |
| Taxonomic Affiliation of Bacterial Strains Used in the Biological Control of Fusarium Head Blight Suggests Possible Role of Lipopeptide Antibiotic in Fungal Antagonism Nichole Baye and Bruce H. Bleakley | 55 |
| JAU 6476 for the Control of <i>Fusarium graminearum</i> and Other Diseases in Cereals J. R. Bloomberg, D.E. Rasmussen, and T. K. Kroll | 56 |
| Effect of Fungicide Treatments on Fusarium Head Blight and Leaf Disease Incidence in Winter Wheat A.L. Brûlé-Babel and D. Fernando | 57 |
| Population Dynamics in the Field of a Biocontrol Agent for Fusarium Head Blight of Wheat A.B. Core, D.A. Schisler, T.E. Hicks, P.E. Lipps, and M.J. Boehm | 61 |
| Variations in Fungicide Application Techniques to Control Fusarium Head Blight Martha Diaz de Ackermann, Mohan Kohli, and Vilfredo Ibañez | 62 |
| Aerial Spray Coverage Trials in South Dakota – 2002 M.A. Draper, J.A. Wilson, B.E. Ruden, D.S. Humburg, K.R. Ruden, and S.M. Schilling..... | 63 |
| Uniform Trials for Biological Control Agent Performance in the Suppression of Fusarium Head Blight in South Dakota – 2002 M.A. Draper, B.H. Bleakley, K.R. Ruden, N.L. Baye, A.L. LeBouc, and S.M. Schilling..... | 65 |
| Uniform Fungicide Performance Trials in South Dakota – 2002 M.A. Draper, K.D. Glover, K.R. Ruden, A.L. LeBouc, S.M. Schilling, and G. Lammers | 67 |

| | |
|--|-----|
| Fusarium Head Blight: Epidemics and Control | |
| Samia M. El-Allaf, P.E. Lipps, and L.V. Madden..... | 69 |
| Effect of Three <i>Bacillus Sp.</i> from Wheat on FHB Reduction | |
| W.G.D. Fernando, Y. Chen, and P. Parks | 73 |
| An Extension Agronomist’s Experiences with Fungicide Application Techniques to Improve Control of FHB | |
| T.D. Gregoire | 76 |
| Barley Cultivar Response to Fungicide Application for the Control of Fusarium Head Blight and Leaf Disease | |
| S. Halley | 77 |
| Analysis of the 2002 Uniform Wheat Fungicide and Biocontrol Trials Across Locations | |
| D.E. Hershman and E.A. Milus | 82 |
| Management of Fusarium Head Blight in Wheat Using Selected Biological Control Agents and Foliar Fungicides, 2002 | |
| D.E. Hershman, P.R. Bachi, D.M. TeKrony, and D.A. VanSanford | 88 |
| Multiple Infection Events and Split Timing of Foliar Fungicide Applications for Control of FHB in Hard Red Spring Wheat, Durum Wheat, and Spring Barley, 2002 | |
| J. Jordahl, S. Meyer, and M. McMullen | 91 |
| Evaluation of Foliar Fungicides and Bioprotectants for Control of Fusarium Head Blight of Winter Wheat in New York in 2002 | |
| S.O. Kawamoto, C.A. Stockwell, D.J. Otis, W.J. Cox, M.E. Sorrells, and G.C. Bergstrom | 92 |
| History and Accomplishments of the USWBSI Uniform Fungicide and Biological Control Trials, 1998-2002 | |
| M. McMullen, and E. Milus | 96 |
| ND Uniform Wheat Fungicide and Biological Agent Trials, 2002 | |
| M. McMullen, J. Lukach, K. McKay, and B. Schatz | 97 |
| New and Effective Fungicides Against the FHB in Wheat | |
| Á. Mesterházy, T. Bartók, and G. Kászonyi | 100 |
| Uniform Barley Fungicide and Biological Agent Trials, Fargo, ND, 2002 | |
| S. Meyer, J. Jordahl, and M. McMullen | 104 |
| Efficacy of Fungicides and Biocontrols Against FHB on Wheat in Arkansas in 2002 | |
| Eugene A. Milus, Peter Rohman, and Samuel Markell | 106 |
| Practical Aspects of Ground Application of Foliar Fungicides | |
| Philip Needham | 109 |
| Efficacy of Fungicides in Controlling Barley Fusarium Head Blight in Lines With Partial Resistance | |
| J.D. Pederson, R.D. Horsley, M. McMullen, and K. McKay | 110 |
| Automated Control of a Watering System for Fusarium Head Blight Research | |
| T. Scherer, D. Kirkpatrick, and M. McMullen | 111 |

| | |
|--|-----|
| USDA-ARS, Ohio State University Cooperative Research on Biologically Controlling Fusarium Head Blight 1: Discovery and Scale-up of a Freeze-drying Protocol for Biomass of Antagonist <i>Cryptococcus nodaensis</i> OH 182.9 (NRRL Y-30216) | |
| D.A. Schisler, J.E. VanCauwenberge, and M.J. Boehm | 115 |
| USDA-ARS, Ohio State University Cooperative Research on Biologically Controlling Fusarium Head Blight 2: 2002 Field Tests of Antagonist and Antagonist/Fungicide Mixtures | |
| D.A. Schisler, M.J. Boehm, T.E. Hicks, and P.E. Lipps | 119 |
| Evaluation of Fungicides for the Control of Fusarium Head Blight and Leaf Diseases on ‘Elkhart’ and ‘Pioneer variety 2540’ Winter Wheat in Missouri | |
| L.E. Sweets | 123 |
| Report on Induced Resistance and Field Biological Control of Fusarium Head Blight by <i>Lysobacter enzymogenes</i> Strain C3 | |
| Gary Yuen and C.C. Jochum | 127 |

EPIDEMIOLOGY AND DISEASE MANAGEMENT

| | |
|--|-----|
| Influence of Crop Rotation and Cover Crop on Fusarium Head Blight of Wheat | |
| H.U. Ahmed, J. Gilbert, W.G. D. Fernando, A. Brûlé-Babel, A. Schoofs, and M. Entz | 128 |
| Determination of Wetness Duration Using Radar-Derived Precipitation Estimates | |
| J.A. Andresen, T.M. Aichele, and A.Pollyea | 132 |
| A Second Genetic Map of <i>Gibberella zeae</i> | |
| R.L. Bowden, J.E. Jurgenson, J.K. Lee, Y.-W. Lee, S-H. Yun, K. Zeller, and J.F. Leslie | 133 |
| What Part Does Programmed Cell Death Play In Fusarium Head Blight? | |
| W.R. Bushnell and T.M. Seeland | 134 |
| Influence of Irrigation Following Disease Assessment on Deoxynivalenol Accumulation in <i>Fusarium</i>-Infected Wheat | |
| M.D. Culler and R. Dill-Macky | 135 |
| Spatial Patterns of Fusarium Head Blight in New York Wheat Fields in 2002 | |
| E.M. Del Ponte, D.A. Shah, and G.C. Bergstrom | 136 |
| Influence of Corn Residue and Cultivar Susceptibility on the Accuracy of Fusarium Head Blight Risk Assessment Models | |
| E. De Wolf, P. Lipps, L. Madden, and L. Francl..... | 137 |
| Effect of Cereal Residue Burning on the Incidence and Stratified Distribution of <i>Fusarium graminearum</i> and <i>Cochliobolus sativus</i> in Wheat and Barley Plants | |
| R. Dill-Macky and B. Salas | 140 |
| Identification of Environmental Variables That Affect Perithecial Development of <i>Gibberella zeae</i> | |
| N. Dufault, E. De Wolf, P. Lipps, and L. Madden..... | 141 |

| | |
|---|-----|
| Relationship of Temperature and Moisture to <i>Gibberella zeae</i> Perithecial Development in a Controlled Environment | |
| N. Dufault, E. De Wolf, P. Lipps, and L. Madden..... | 142 |
| Incidence-Severity Relationships for Fusarium Head Blight on Wheat | |
| S. M. El-Allaf, L. V. Madden, and P. E. Lipps..... | 145 |
| Spatial Aspects of Fusarium Head Blight Epidemics on Wheat in Ohio | |
| S. M. El-Allaf, L. V. Madden, and P. E. Lipps..... | 146 |
| Effect of Wheat Floral Structure Extracts and Endogenous Compounds on the Growth of <i>Fusarium graminearum</i> | |
| Jessica S. Engle, Patrick E. Lipps, Terry L. Graham, and Michael J. Boehm..... | 151 |
| A Phenology-Based Predictive Model for Fusarium Head Blight of Wheat | |
| J.M.C. Fernandes and W. Pavan..... | 154 |
| AFLP-Assisted Genetic Characterization of <i>Fusarium graminearum</i> Isolates from Canada | |
| W.G.D. Fernando, R. Ramarathnam, J. Gilbert, and R. Clear..... | 159 |
| Assessment of the Differential Ability of <i>Fusarium</i> Strains to Spread on Wheat and Rice | |
| Rubella S. Goswami and H. Corby Kistler..... | 163 |
| Development of <i>Gibberella zeae</i> on Wheat Tissue | |
| John Guenther and Frances Trail..... | 164 |
| The DONcast Model: Using Weather Variables Pre- and Post-Heading to Predict Deoxynivalenol Content in Winter Wheat | |
| David C. Hooker, Arthur W. Schaafsma, and Lily Tamburic-Ilincic..... | 165 |
| Fusarium Head Scab Risk Forecasting for Ohio, 2002 | |
| Patrick Lipps, Dennis Mills, Erick DeWolf, and Larry Madden..... | 166 |
| Practical Application of Fusarium Head Blight Risk Predictions | |
| Patrick Lipps, Erick De Wolf, Dennis Mills, and Larry Madden..... | 167 |
| Epidemiological Studies on Fusarium Head Blight of Wheat in South Dakota for 2002 | |
| L. Osborne and Y. Jin..... | 171 |
| FHB Inoculum Distribution on Wheat Plants Within the Canopy | |
| L. Osborne, Y. Jin, F. Rosolen, and M.J. Hannoun..... | 175 |
| South Dakota Fusarium Head Blight Risk Advisory for 2002 | |
| L. Osborne and Y. Jin..... | 176 |
| Incidence of <i>Fusarium graminearum</i> and <i>Cochliobolus sativus</i> in Wheat and Barley Cultivars at Three Locations in Minnesota | |
| B. Salas, R. Dill-Macky, and J.J. Wiersma..... | 177 |
| Airborne Populations of <i>Gibberella zeae</i>: Spatial and Temporal Dynamics of Spore Deposition in a Localized Fusarium Head Blight Epidemic | |
| David G. Schmale III, Elson J. Shields, and Gary C. Bergstrom..... | 178 |
| Development of Fusarium Head Blight in Indiana, 2002 | |
| G. Shaner and G. Buechley..... | 179 |

| | |
|--|-----|
| Comparison of Spray, Point Inoculation Methods, and FDK to Facilitate Early Generation Selection for Fusarium Head Blight Resistance in Winter Wheat L. Tamburic-Ilincic, G. Fedak, and A.W.Schaafsma | 180 |
| REMI Mutagenesis in the Wheat Scab Fungus <i>Fusarium graminearum</i> Miles Tracy, Zhanming Hou, H. Corby Kistler, and Jin-Rong Xu | 185 |
| The <i>Fusarium graminearum</i> Genomics Project Frances Trail, Jin-Rong Xu and H. Corby Kistler | 186 |
| Comparative Virulence of Isolates of <i>Fusarium</i> Species Causing Head Blight in Wheat A.G. Xue, K.C. Armstrong, H.D. Voldeng, G. Fedak, Y. Chen, and F. Sabo | 187 |
| Population Genetic Differentiation and Lineage Composition Among <i>Gibberella zeae</i> (<i>Fusarium graminearum</i>) in North and South America K.A. Zeller, J.I. Vargas, G. Valdovinos-Ponce, J.F. Leslie, and R.L. Bowden | 188 |

FOOD SAFETY, TOXICOLOGY AND UTILIZATION

| | |
|--|-----|
| Metabolism of Trichothecenes by Wheat L.-F. Chen, H.-Y. Yao, G. Yu, W.-P. Xie, and H. C. Kistler | 189 |
| Yeast Strains Allowing Phenotypic Detection of Estrogenic Activity: Development of a Sensitive and Inexpensive Yeast Bioassay for Zearalenone R. Mitterbauer, H. Weindorfer, N. Safaie, H. Bachmann, and G. Adam | 190 |
| Diagnostic Vomitoxin (DON) Services in 2002/2003 Samples M.S. Mostrom, P. Schwarz, Y. Dong, and P. Hart | 191 |
| Human Susceptibility to Trichothecene Mycotoxins James J. Pestka, Kristen Penner, and Jennifer Gray | 195 |
| Using Near Infrared Transmittance as a Screening Tool for Don in Barley H. Pettersson, L. Aberg, J.A. Persson, H. Andren, and M. Matteson | 197 |
| Storage of Scabby Wheat: <i>Fusarium</i> Goes Away, DON Doesn't Robert W. Stack, Howard H. Casper, and Dennis J. Tobias | 198 |

GERMPLASM INTRODUCTION AND ENHANCEMENT

| | |
|--|-----|
| Variation for Resistance to Fusarium Head Blight in <i>Triticum dicoccoides</i> H. Buerstmayr, M. Stierschneider, B. Steiner, M. Lemmens, M. Griesser, E. Nevo, and T. Fahima | 199 |
| Designating Types Of Scab Resistance: A Discussion W. R. Bushnell | 200 |
| Inheritance of Fusarium Head Blight Resistance (Type II) in New Wheat Germplasm CJ 9306 and CJ 9403 Guo-Liang Jiang and Richard W. Ward | 201 |

| | |
|--|-----|
| Screening Winter and Facultative Wheats for Fusarium Head Blight Infection Mohan Kohli, Martin Quincke, and Martha Diaz de Ackermann | 202 |
| Types I, II and Field Resistance to Fusarium Head Blight in Winter and Spring Wheat Germplasm Anne L. McKendry, Kara S. Bestgen, and David N. Tague | 204 |
| Resistance in Hexaploid Wheat to Fusarium Head Blight Gregory Shaner | 208 |
| Novel Source of Type II Resistance to Fusarium Head Blight Xiaorong Shen, Lingrang Kong and Herbert Ohm | 212 |
| Evaluation of the National Small Grains Collection of Barley for Resistance to Fusarium Head Blight and Deoxynivalenol Accumulation L.G. Skoglund and J.L. Menert | 213 |
| Fusarium Head Blight Type II Resistance of a Spring Wheat Population Derived from a Hungarian Winter Wheat R.W. Stack, R.C. Frohberg, and M. Mergoum | 216 |
| Proposed Chromosomal Location of FHB Resistance Genes in Additional Sets of Durum Disomic Substitution Lines Derived from Different <i>T. dicoccoides</i> Accessions R.W. Stack, J.D. Miller, and L.R. Joppa | 217 |
| Wild Emmer, <i>Triticum dicoccoides</i>, as a Source of FHB Resistance for Tetraploid and Hexaploid Wheats Robert W. Stack and James D. Miller | 218 |
| Efficiency and Efficacy of Marker Assisted Selection over Phenotypic Selection for FHB Resistance in Durum Wheat B. Suresh, E.M. Elias, J.L. González-Hernández, and S.F. Kianian | 219 |
| Putative Sources of Fusarium Head Blight Resistance in Spring Wheat Identified from the USDA Small Grains Collection X. Zhang and Y. Jin | 220 |

VARIETY DEVELOPMENT AND UNIFORM NURSERIES

| | |
|--|-----|
| The Development of Scab (<i>Fusarium graminearum</i>) Resistant Varieties of Wheat P.S. Baenziger, J. Schimelfenig, and J.E. Watkins | 223 |
| Number of Location-Years Needed to Determine the Reaction of Winter Wheat Cultivars to Fusarium Head Blight William W. Bockus, Mark A. Davis, and Karen A. Garrett | 228 |
| Identification of DNA Markers for Fusarium Head Blight Resistance of Wheat Line Huapei 57-2 William Bourdoncle and Herbert W. Ohm | 229 |

| | |
|---|-----|
| Coordinated Fusarium Head Blight Screening Nursery for Wheat Breeding Programs in Western Canada | |
| A.L. Brûlé-Babel, D. Fernando, P. Hucl, G. Hughes, S. Fox, R. DePauw, M. Fernandez, J. Clarke, R. Knox, J. Gilbert, G. Humphreys, and D. Brown | 230 |
| Timing of Inoculations of Dryland Wheat Plots and the Effect on Fusarium Head Blight (FHB) Severity and Mycotoxinaccumulation Due to <i>Fusarium graminearum</i> Infection | |
| C. K. Evans and R. Dill-Macky | 231 |
| Variety Development and Uniform Nurseries: FHB Resistance in Barley | |
| J.D. Franckowiak | 232 |
| A <i>Fusarium</i> Resistance Gene and an Awn Promotor are Associated on Chromosome 5A of Spring Wheat | |
| Richard C. Frohberg, Robert W. Stack, and S.S. Maan | 234 |
| A Historical Analysis of the Uniform Regional Scab Nursery for Spring Wheat Parents | |
| D.F. Garvin and J.A. Anderson | 235 |
| Genes with Major Effects on FHB Resistance Promise Easy Marker Application | |
| L. Gilchrist, M. van Ginkel, R. Trethowan, and E. Hernandez..... | 239 |
| Sources of Combined Resistance to Fusarium Head Blight, Stripe Rust, and BYD in Triticale | |
| L. Gilchrist, A. Hede, R. Gonzalez, and R.M. Lopez..... | 242 |
| Progress in Breeding Fusarium Head Blight Resistance in Soft Red Winter Wheat | |
| C.A. Griffey, J. Wilson, D. Nabati, J. Chen, and T. Pridgen | 246 |
| Comparison of FHB Development on Hard Winter Wheat Using Different Planting Schemes | |
| D.M. Gustafson, A.M.H. Ibrahim, and L. Peterson..... | 247 |
| Stability of Type II Resistance and DON Levels Across Isolate and Soft Red Winter Wheat Genotype | |
| Anne L. McKendry, Kara S. Bestgen, David N. Tague, and Zewdie Abate | 248 |
| Developing FHB-resistant Cultivars and Germplasm for the Mid South | |
| E.A. Milus, R.K. Bacon, S.A. Harrison, P. Rohman, S. Markell, and J. Kelly | 249 |
| Uniform Southern Soft Red Winter Wheat Fusarium Head Blight Screening Nursery | |
| J.P. Murphy, R.A. Navarro, and D.A. Van Sanford | 253 |
| Developed Evaluation Method of Fusarium Head Blight (FHB) Resistance in Wheat by Continuous Simulated Rainfall and Diversity of FHB Resistance in Domestic Wheat | |
| Zenta Nishio, Kanenori Takata, Tadashi Tabiki, and Tomohiro Ban | 254 |
| Phenotypic Effects of <i>Qfhs.ndsu-3BS</i> on Fusarium Head Blight Resistance in Near-Isogenic Wheat Lines | |
| M.O. Pumphrey and J.A. Anderson | 255 |
| SSR Mapping of Fusarium Head Blight Resistance in Wheat | |
| Xiaorong Shen and Herbert Ohm | 260 |

Summary Report on the 2002 Northern Uniform Winter Wheat Scab Nursery (NUWWSN)
Clay Sneller, Patrick Lipps, and Larry Herald 261

Fusarium Head Blight in Hexaploid Wheat Populations Derived from Lines with Type I Resistance
R.W. Stack, R.C. Frohberg, and M. Mergoum 265

Scab Screening Using Frozen Spikes
A.J. Stewart, B. Kennedy, and D. A. Van Sanford 266

***Fusarium graminearum* and DON in Single Seeds Following Greenhouse Point Inoculation**
Dennis M. TeKrony, David VanSanford, Marcy Rucker, Cheryl Edge,
and Yanhong Dong 267

How to Make Intelligent Crosses to Accumulate Fusarium Head Blight Resistance Genes Based on Knowledge of the Underlying Resistance Mechanisms
M. van Ginkel and L. Gilchrist 268

Apparent and Actual Seed Quality in Soft Red Winter Wheat Infected with *Fusarium graminearum*
V.L.Verges, B. Kennedy, A.J.Stewart, D. TeKrony, and D.A. Van Sanford 273

Effect of Sumai 3 Chromosomes on Type II and Type V Scab Resistance in Wheat
Wenchun Zhou, Frederic L. Kolb, Larry K. Boze, Norman J. Smith, Guihua Bai,
Leslie L. Domier, and Jingbao Yao 274

OTHER REPORTS

Estimating the Economic Impact of a Crop Disease: The Case of Fusarium Head Blight in U.S. Wheat and Barley
William E. Nganje, Dean A. Bangsund, F. Larry Leistritz, William W. Wilson,
and Napoleon M. Tiapo 275