PI: Liane Gale

Project ID: FY09-GA-023

PI's E-mail: lianeg@umn.edu FY09 ARS Agreement #: 59-0790-7-074 Duration of Award: 1 Year

Research Category: PBG

Project Title: Traits of Biological Relevance in U.S. Populations of Fusarium graminearum.

PROJECT 1 ABSTRACT (1 Page Limit)

Despite efforts to reduce the impact of FHB on grain production in the U.S., DON levels in grain often remain high. In order to address this problem, we continue to investigate the genetic diversity, especially with regard to traits of biological relevance in populations of *Fusarium graminearum* (*Fg*) currently found in the U.S. We are focusing on genetically distinct populations of *Fg* in the Upper Midwest (emergent populations) and on nivalenol-producing populations of *Fg* found nearly exclusively in the Southern U.S. The populations in the Upper Midwest are correlated to distinct DON chemotypes and result in different levels of DON accumulation in greenhouse-grown plants. Nivalenol-producing isolates have previously been described from Louisiana, where they are prevalent. Additionally, a significant proportion of isolates from a historical collection from Arkansas was determined to be of a nivalenol-type. Molecular data from these historical isolates from Arkansas lead to the working hypothesis that Arkansas may constitute a hybrid zone between southern and Midwestern populations of *Fg*.

The project objectives are to determine 1) What is the extant population composition of Fg in Arkansas that is hypothesized to be a hybrid zone of Fg populations? What is the toxigenic potential of extant hybrid strains? 2) Are there differences in fungicide sensitivities in the various U. S. populations of Fg?

The goals of our project directly relate to **PBG FY09 Research Priority #1** Characterize genetic variation in the pathogen population with regard to aggressiveness toward plants and mycotoxin potential. By way of collaboration (**Integrated/Interdisciplinary Research**) we are partnering with one plant pathologist Dr. Gene Milus, University of Arkansas. Characterization of hybrid individuals from Arkansas will determine and clarify their toxigenic potential compared to parental populations. Assessment of fungicide sensitivities within and between populations of Fg will be helpful for disease management decisions and recommendations.